L Number	Hits	Search Text	DB	Time stamp
1	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:16
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data) near10 (aviala\$4 free\$4 desir\$4		
		possible\$1) near10 (link\$1 rout\$1 path\$1 line\$1) near10		
		equal\$1 near10 ("1" or one)		
2	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:54
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data) near10 (avail\$6 free\$4 desir\$4 possible\$1)		
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10		
3	0	("1" or one) (disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:51
	U	send\$4 forward\$4 rout\$4 input\$4) near10 (avail\$6 free\$4	OSFAI	2007/10/01 10.51
		desir\$4 possible\$1) near10 (link\$1 rout\$1 path\$1 line\$1)		
		near10 equal\$1 near10 ("1" or one)		
4	29	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:52
		send\$4 forward\$4 rout\$4 input\$4) near10 (link\$1 rout\$1	:	
		path\$1 line\$1) near10 equal\$1 near10 ("1" or one)	,	
5	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:55
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
	!	message\$1 data) same (avail\$6 free\$4 desir\$4 possible\$1)		
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10		
6	0	("1" or one) ((disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:55
	0	send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1	USPAT	2004/10/01 10.55
		message\$1 data)) same ((avail\$6 free\$4 desir\$4 possible\$1)		
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10		
		("1" or one))		
7	16	((disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:58
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data)) and ((avail\$6 free\$4 desir\$4 possible\$1)		
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10		
9	3661	("1" or one)) 370/229-237.ccls.	USPAT;	2004/10/01 11:00
9	3001	3/0/225-237.ccis.	US-PGPUB;	2004/10/01 11:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	1	((disabl\$4 stop\$4 halt\$4) near10 (cell\$1 packet\$1	USPAT	2004/10/01 11:00
		message\$1 data)) near10 ((avail\$6 free\$4 desir\$4		
		possible\$1) near10 (link\$1 rout\$1 path\$1 line\$1) near10		
		equal\$1 near10 ("1" or one))	LICDAT	2004/40/04 44:42
10	16	370/229-237.ccls. and ((avail\$6 free\$4 desir\$4 possible\$1) near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10	USPAT	2004/10/01 11:12
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10 ("1" or one))		
11	2	(1 or one)) (disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:10
**	_	send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1	001711	200 1/10/01 11:10
		message\$1 data) near10 (link\$1 rout\$1 path\$1 line\$1)		
		near10 equal\$1 near10 ("1" or one)		
12	8	(disabl\$4 stop\$4 halt\$4) near10 (cell\$1 packet\$1	USPAT	2004/10/01 11:11
		message\$1 data) near10 (link\$1 rout\$1 path\$1 line\$1)		
	_	near10 equal\$1 near10 ("1" or one)	LICDAT	2004/10/04 44 42
14	2	370/229-237.ccls. and ((link\$1 rout\$1 path\$1 line\$1) near10	USPAT	2004/10/01 11:12
13	112	equal\$1 near10 ("1" or one)).ab. 370/229-237.ccls. and ((link\$1 rout\$1 path\$1 line\$1) near10	USPAT	2004/10/01 11:13
12	112	equal\$1 near10 ("1" or one))	OSFA1	2007/10/01 11:13
15	381	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:28
	301	send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data) near10 ("1" or one) near10 (link\$1 rout\$1		
		path\$1 line\$1)		

17	0	(disabl\$4 stop\$4 halt\$4) near3 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:17
		send\$4 forward\$4 rout\$4 input\$4) near3 (cell\$1 packet\$1		+
		message\$1 data) near3 ("1" or one) near3 (aviala\$4 free\$4		
		desir\$4 possible\$1) near3 (link\$1 rout\$1 path\$1 line\$1)		2004/10/2
16	8	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:27
)	send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
	[message\$1 data) near10 ("1" or one) near10 (aviala\$4		
		free\$4 desir\$4 possible\$1) near10 (link\$1 rout\$1 path\$1		
_	_ '	line\$1)		
18	9	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:26
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data) near10 ("1" or one) near10 (link\$1 rout\$1		
		path\$1 line\$1) and 370/229-237.ccls.		2004420444
19	381	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:27
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
	[message\$1 data) near10 ("1" or one) near10 (link\$1 rout\$1		
	'	path\$1 line\$1)		
20	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:27
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
	'	message\$1 data) near10 when near10 ("1" or one) near10		
		(link\$1 rout\$1 path\$1 line\$1)		2004/10/04 44 87
21	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:27
		send\$4 forward\$4 rout\$4 input\$4) near10 when near10		
		(cell\$1 packet\$1 message\$1 data) near10 ("1" or one)		
22		near10 (link\$1 rout\$1 path\$1 line\$1)	LICDAT	2004/40/04 44 20
22	72	(disabl\$4 stop\$4 halt\$4) near3 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:39
		send\$4 forward\$4 rout\$4 input\$4) near3 (cell\$1 packet\$1		
		message\$1 data) near10 ("1" or one) near3 (link\$1 rout\$1		
22	457	path\$1 line\$1)	LICDAT	2004/10/01 11:40
23	457	(("1" or one) adj1 (possible good availab\$4) adj1 (link\$1	USPAT	2004/10/01 11:48
24	10	rout\$1 path\$1 line\$1))	LICDAT	2004/10/01 11:41
24	10	370/229-237.ccls. and ((("1" or one) adj1 (possible good	USPAT	2004/10/01 11:41
25	0	availab\$4) adj1 (link\$1 rout\$1 path\$1 line\$1)))	USPAT	2004/10/01 11:51
25	"	((("1" or one) near3 (possible good availab\$4) near3 (link\$1	USPAT	2004/10/01 11:51
		rout\$1 path\$1 line\$1)) same (disabl\$4 stop\$4 prohibit\$4)) and 370/229-237.ccls.		
26	47	((("1" or one) near3 (possible good availab\$4) near3 (link\$1	USPAT	2004/10/01 11:52
26	4/	rout\$1 path\$1 line\$1)) same (feedback\$1 backpressure\$1))	USPAT	2004/10/01 11.52
	57	((370/216).CCLS.) and ((packet\$1 adj1 swith\$3 adj1	USPAT	2003/08/28 11:05
-	3/	((370/216).CCLS.) and ((packets1 adj1 swidts3 adj1 system\$1) and (input\$1 same output\$1) near10	USPAT	2003/06/26 11.03
		(componet\$1 or divice\$1 or equipment\$1 or element\$1) and		
		network\$1 (error\$1 or fault\$1 or defect\$1 or failure\$1)		
		near10 (report\$1 or notif\$7))		
_	530		USPAT	2003/08/28 10:43
_	607	370/241.1,242,244.ccls.	USPAT	2003/08/28 10:44
_	12258	((packet\$1 adj1 swith\$3 adj1 system\$1) and (input\$1 same	USPAT	2003/08/28 11:21
	12250	output\$1) near10 (componet\$1 or divice\$1 or equipment\$1	03171	2005/00/20 11:21
		or element\$1) and network\$1 (error\$1 or fault\$1 or		
		defect\$1 or failure\$1) near10 (report\$1 or notif\$7))		İ
_	63	370/217,210,220.ccls. and (((packet\$1 adj1 swith\$3 adj1	USPAT	2003/08/28 10:45
		system\$1) and (input\$1 same output\$1) near10	55.711	1000,00,20 10.15
		(componet\$1 or divice\$1 or equipment\$1 or element\$1) and		
		network\$1 (error\$1 or fault\$1 or defect\$1 or failure\$1)		
		near10 (report\$1 or notif\$7)))		
-	7	370/217,210,220.ccls. and (((packet\$1 adj1 swith\$3 adj1	USPAT	2003/08/28 10:51
	, '	system\$1) and (input\$1 same output\$1) near10	33.7.1	
		(componet\$1 or divice\$1 or equipment\$1 or element\$1) and		
		network\$1 (error\$1 or fault\$1 or defect\$1 or failure\$1)		1
		near10 (report\$1 or notif\$7))) and 370/241.1,242,244.ccls.		
		1	1	<u> </u>

-	15	(370/217,210,220.ccls. and (((packet\$1 adj1 swith\$3 adj1	USPAT	2003/08/28 10:59
		system\$1) and (input\$1 same output\$1) near10		
		(componet\$1 or divice\$1 or equipment\$1 or element\$1) and		
		network\$1 (error\$1 or fault\$1 or defect\$1 or failure\$1)		
		near10 (report\$1 or notif\$7)))) and routing\$1 adj1 table\$1		
-	1	"6418115"	USPAT	2003/08/28 10:59
-	5	("4907253" "5398236" "5452286" "5461607"	USPAT	2003/08/28 10:59
		"5471460").PN.		
-	34	370/217,210,220.ccls. and 370/241.1,242,244.ccls.	USPAT	2003/08/28 11:14
-	4416	(((packet\$1 adj1 swith\$3 adj1 system\$1) and (input\$1	USPAT	2003/08/28 11:22
		same output\$1) near10 (componet\$1 or divice\$1 or		
		equipment\$1 or element\$1) and network\$1 (error\$1 or		
		fault\$1 or defect\$1 or failure\$1) near10 (report\$1 or notif\$7))) and (rout\$3 with table\$1 or route\$3)		
	48	((((packet\$1 adj1 swith\$3 adj1 system\$1) and (input\$1	USPAT	2003/08/28 11:23
	70	same output\$1) near10 (componet\$1 or divice\$1 or	USPAT	2003/06/26 11.23
		equipment\$1 or element\$1) and network\$1 (error\$1 or		
1		fault\$1 or defect\$1 or failure\$1) near10 (report\$1 or		
		notif\$7))) and (rout\$3 with table\$1 or route\$3)) and		
		370/217,210,220.ccls.		
-	8	("5222063" "5426420" "5467347" "5740157"	USPAT	2004/02/08 14:41
}		"5848128" "5909427" "6148415" "6226261").PN.	3317.11	230 1, 02,00 1 1. 11
1 -	545	370/216.ccls.	USPAT;	2004/02/08 14:59
}	5.5		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	324	370/217.ccls.	USPAT;	2004/02/08 14:59
		·	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	191	370/218.ccls.	USPAT;	2004/02/08 14:59
:			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	91	370/219.ccls.	USPAT;	2004/02/08 14:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	134	370/220.ccls.	IBM_TDB USPAT;	2004/02/08 14:59
-	134	370/220.CCB.	US-PGPUB;	2007/02/00 14:59
			EPO; JPO;	
			DERWENT;	
	:		IBM_TDB	
1_	249	370/225.ccls.	USPAT;	2004/02/08 14:59
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	592	370/228.ccls.	USPAT;	2004/02/08 15:00
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	106	370/227.ccls.	USPAT;	2004/02/08 15:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			_IBM_TDB	

-	49	370/241.1.ccls.	USPAT;	2004/02/08 15:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	606	370/242.ccls.	USPAT;	2004/02/08 15:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	336	370/244.ccls.	USPAT;	2004/02/08 15:00
			US-PGPUB;	, ,
			EPO; JPO;	•
			DERWENT;	
			IBM_TDB	
_	239	714/799.ccls.	USPAT;	2004/02/08 15:01
	233	7117733.003.	US-PGPUB;	200 1/02/00 15.01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	051	714/1 2 cc/c		2004/02/09 15:01
-	951	714/1-2.ccls.	USPAT;	2004/02/08 15:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1364	714/25.ccls.	USPAT;	2004/02/08 15:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25358	packet\$4 near3 switch\$4	USPAT;	2004/02/08 15:03
			US-PGPUB;	
			EPO; JPO;	
	ŀ	,	DERWENT;	
			IBM_TDB	
-	1724170	input\$4 and output\$4	USPAT;	2004/02/08 15:04
			US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	46622	(notif\$4 or broadcast\$4 or respon\$6 or report\$4 or	USPAT;	2004/02/08 15:18
		acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed	US-PGPUB;	
		near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
		defect\$4 maulfunct\$6) same (input\$4)	DERWENT;	
		and the state of t	IBM_TDB	
-	86	370/216.ccls. and (packet\$4 near3 switch\$4)	USPAT;	2004/02/08 15:09
			US-PGPUB;	
		, '	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	6	370/216.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4	USPAT;	2004/02/08 15:57
	ı	or broadcast\$4 or respon\$6 or report\$4 or acknowledg\$4 or	US-PGPUB;	200 1/02/00 13.3/
		backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same	EPO; JPO;	
		(erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)	DERWENT;	
	267600	same (input\$4))	IBM_TDB	2004/02/00 45:22
-	267609	(notif\$4 or broadcast\$4 or respon\$6 or report\$4 or	USPAT;	2004/02/08 15:32
		acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed	US-PGPUB;	
		near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
		defect\$4 maulfunct\$6)	DERWENT;	
L			IBM_TDB	

- 47 370/216.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4 or broadcast\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)) - 357712 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB;	2004/02/08 15:19
backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)) DERWENT; IBM_TDB (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB;	2004/02/08 18:14
(erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)) DERWENT; IBM_TDB (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or uSPAT; report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB;	2004/02/08 18:14
- 357712 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or USPAT; report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB;	2004/02/08 18:14
- 357712 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or USPAT; report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB;	2004/02/08 18:14
report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB;	2004/02/08 18:14
report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB;	, ,
or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or EPO; JPO;	
fai\\$6 or defect\\$4 or maulfunct\\$6 or fault\\$4) DERWENT;	
IBM_TDB	
- 62 370/216.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4 USPAT;	2004/02/08 15:20
or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or US-PGPUB;	2001/02/00 20:20
acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed EPO; JPO;	
near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or DERWENT;	
defect\$4 or maulfunct\$6 or fault\$4)) IBM_TDB	
	2004/02/09 16:22
- 2005127 (switch\$4 near3 element\$1) or (switch\$4 near3 fabric\$4) or USPAT;	2004/02/08 16:23
(se) or (multi-stag\$4) or multistag\$4 US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	2004/02/00 17 51
- 30 (370/216.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4 USPAT;	2004/02/08 15:21
or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or US-PGPUB;	
acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed EPO; JPO;	
near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or DERWENT;	
defect\$4 or maulfunct\$6 or fault\$4))) and ((switch\$4 near3 IBM_TDB	
element\$1) or (switch\$4 near3 fabric\$4) or (se) or	
(multi-stag\$4) or multistag\$4)	
- 10889 (notif\$4 or broadcast\$4 or respon\$6 or report\$4 or USPAT;	2004/02/08 15:34
acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed US-PGPUB;	
near3 back\$4)) near10 (erro\$6 or abnormal\$6 or fai\$6 or EPO; JPO;	
defect\$4 maulfunct\$6) near10 (packet\$1 or messag\$4 or DERWENT;	
traffic\$4) IBM_TDB	
- 82 370/216.ccls. and ((notif\$4 or broadcast\$4 or respon\$6 or USPAT;	2004/02/08 15:58
report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB;	
or (feed near3 back\$4)) near10 (erro\$6 or abnormal\$6 or EPO; JPO;	
fai\\$6 or defect\\$4 maulfunct\\$6) near10 (packet\\$1 or DERWENT;	
messag\$4 or traffic\$4)) IBM_TDB	
- 34 370/217.ccls. and ((notif\$4 or broadcast\$4 or respon\$6 or USPAT;	2004/02/08 16:08
report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB;	,,
or (feed near3 back\$4)) near10 (erro\$6 or abnormal\$6 or EPO; JPO;	
fai\$6 or defect\$4 maulfunct\$6) near10 (packet\$1 or DERWENT;	
messag\$4 or traffic\$4)) IBM_TDB	
- 94 370/217.ccls. and ((switch\$4 near3 element\$1) or (switch\$4 USPAT;	2004/02/08 16:08
near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4) US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 47 370/217.ccls. and (packet\$4 near3 switch\$4) USPAT;	2004/02/08 16:23
US-PGPUB;	200 1,02,00 10.23
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 5 370/217.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4 USPAT;	2004/02/08 16:22
	2007/02/00 10:22
backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) EPO; JPO;	
near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 DERWENT;	
maulfunct\$6) near10 (packet\$1 or messag\$4 or traffic\$4)) IBM_TDB	2004/02/00 1011
- 2 ("5229990").PN. USPAT;	2004/02/08 16:14
US-PGPUB;	Į
EPO; JPO;	
DERWENT;	
IBM_TDB	l

-	7	("3805039" "4146749" "4566102" "4654842" "4656622" "4700340" "4899334").PN.	USPAT	2004/02/08 16:11
	33	5229990.URPN.	USPAT	2004/02/08 16:12
_	1	5229990.URPN. and ((notif\$4 or broadcast\$4 or respon\$6 or	USPAT;	2004/02/08 16:14
	_	report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	US-PGPUB;	200 1, 02, 00 2012 1
		or (feed near3 back\$4)) near10 (erro\$6 or abnormal\$6 or	EPO; JPO;	
		fai\$6 or defect\$4 maulfunct\$6) near10 (packet\$1 or	DERWENT;	
	,	messag\$4 or traffic\$4))	IBM_TDB	
-	125	370/218.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or	USPAT;	2004/02/08 16:23
		respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or	US-PGPUB;	
		feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or	EPO; JPO;	
		abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4)	DERWENT;	
			IBM_TDB	
-	2020762	(370/218.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or	USPAT;	2004/02/08 16:24
		respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or	US-PGPUB;	
		feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or	EPO; JPO;	
		abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4)	DERWENT;	
)) an ((switch\$4 near3 element\$1) or (switch\$4 near3	IBM_TDB	
		fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)		
-	39	(370/218.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or	USPAT;	2004/02/08 16:24
		respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or	US-PGPUB;	
		feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or	EPO; JPO;	
		abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4)	DERWENT;	
)) and ((switch\$4 near3 element\$1) or (switch\$4 near3	IBM_TDB	
	20	fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	LICDAT	2004/02/00 46:46
-	28	370/219.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 16:46
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	19	370/219.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 16:51
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	200 1/02/00 10.51
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
.		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	_	
-	26	370/220.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 16:56
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))		
-	35	370/225.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:07
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
	42	fai\$6 or defect\$4 or maulfunct\$6 or fault\$4)) 370/228.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:16
-	72	near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	2007/02/00 17.10
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))		
-	7	370/227.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:17
]	,	near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	, . =,
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
1		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))		

-	8	370/241.1.ccls. and ((switch\$4 near3 element\$1) or (switch\$4 near3 fabric\$4) or (se) or (multi-stag\$4) or	USPAT; US-PGPUB;	2004/02/08 17:20
		multistag\$4) and ((notif\$4 or broadcast\$4 or distribut\$4 or	EPO; JPO;	
		respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or	DERWENT;	
		feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or	IBM_TDB	
		abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))		
-	55	370/242.ccls. and ((switch\$4 near3 element\$1) or (switch\$4 near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	USPAT; US-PGPUB;	2004/02/08 17:25
	ĺ	and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))		
-	73	370/244.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:38
İ		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	IBM_TDB	
_	10	714/799.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:39
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	2001,02,0017.05
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
	47	fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	LICDAT	2004/02/00 17:41
-	47	714/1-2.ccls. and ((switch\$4 near3 element\$1) or (switch\$4 near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	USPAT; US-PGPUB;	2004/02/08 17:41
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	_	
-	62	714/25.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:41
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	DERWENT; IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	1011_100	
-	2	("5848227").PN.	USPAT;	2004/02/08 18:14
			US-PGPUB;	, ,
			EPO; JPO;	
•			DERWENT;	
		/!/400.42.40!! !!EE001.1.4.!!\ DN	IBM_TDB	2004/02/08 40:44
	2 24	("4984240" "5588111").PN. (US-4399531-\$ or US-4630259-\$ or US-6594227-\$ or	USPAT USPAT	2004/02/08 18:14 2004/02/09 09:46
	27	US-6507562-\$ or US-6031819-\$ or US-5872904-\$ or	USFAI	2007/02/03 03.40
		US-5848227-\$ or US-5522046-\$ or US-6343067-\$ or		
		US-6246665-\$ or US-6122753-\$ or US-5161156-\$ or		
		US-5027342-\$ or US-6366557-\$ or US-6021111-\$ or		
		US-6490246-\$ or US-6049524-\$ or US-5461607-\$ or		
		US-5398236-\$ or US-5365511-\$ or US-5901136-\$ or		
	8	US-4561090-\$ or US-4745593-\$ or US-6411599-\$).did.	USPAT:	2004/02/09 10:02
-	O	(broadcast\$4) and ((US-4399531-\$ or US-4630259-\$ or US-6594227-\$ or US-6507562-\$ or US-6031819-\$ or	USPAT; US-PGPUB;	2004/02/03 10:02
		US-5872904-\$ or US-5848227-\$ or US-5522046-\$ or	EPO; JPO;	
		US-6343067-\$ or US-6246665-\$ or US-6122753-\$ or	DERWENT;	
		US-5161156-\$ or US-5027342-\$ or US-6366557-\$ or	IBM_TDB	
		US-6021111-\$ or US-6490246-\$ or US-6049524-\$ or		
		US-5461607-\$ or US-5398236-\$ or US-5365511-\$ or		
		US-5901136-\$ or US-4561090-\$ or US-4745593-\$ or		
		US-6411599-\$).did.)		L

·			. <u>.</u>	· · · · · · · · · · · · · · · · · · ·
-	2961	(broadcast\$4) and (updat\$4 near10 rout\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 10:02
-	0	(broadcast\$4) and (updat\$4 near10 rout\$4) and ((US-4399531-\$ or US-4630259-\$ or US-6594227-\$ or US-6507562-\$ or US-6031819-\$ or US-5872904-\$ or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/09 10:02
		US-5848227-\$ or US-5522046-\$ or US-6343067-\$ or US-6246665-\$ or US-6122753-\$ or US-5161156-\$ or US-5027342-\$ or US-6366557-\$ or US-6021111-\$ or US-6490246-\$ or US-6049524-\$ or US-5461607-\$ or US-5398236-\$ or US-5365511-\$ or US-5901136-\$ or US-4561090-\$ or US-4745593-\$ or US-6411599-\$).did.)	DERWENT; IBM_TDB	
-	4	(broadcast\$4) and (updat\$4 near10 table\$1) and ((US-4399531-\$ or US-4630259-\$ or US-6594227-\$ or US-6507562-\$ or US-6031819-\$ or US-5872904-\$ or US-5848227-\$ or US-5522046-\$ or US-6343067-\$ or US-6246665-\$ or US-6122753-\$ or US-5161156-\$ or US-5027342-\$ or US-6366557-\$ or US-6021111-\$ or US-6490246-\$ or US-6049524-\$ or US-5461607-\$ or US-5398236-\$ or US-5365511-\$ or US-5901136-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 10:04
-	364	US-4561090-\$ or US-4745593-\$ or US-6411599-\$).did.) (broadcast\$4) near10 (updat\$4 near10 table\$1)	USPAT; US-PGPUB; EPO; JPO;	2004/02/09 10:18
-	213	(broadcast\$4) near3 (updat\$4 near10 table\$1)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/09 10:18
-	2	("5265092").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/10 12:21
	2	("5161156").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/10 12:21
-	2	("4734907").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/10 12:21
-	3661	370/229-237.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/30 11:07
-	57016	(notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/30 11:43
-	322	fai\$6 or defect\$4 maulfunct\$6) same (input\$4) 370/387-388.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/30 11:09
		12:00:57 DM	DERWENT; IBM_TDB	

Search History 10/1/04 12:09:57 PM Page 8

-	0	370/229-237.ccls. and ((notif\$4 or broadcast\$4 or	USPAT;	2004/09/30 11:09
		distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or	US-PGPUB;	
		backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same	EPO; JPO;	
		(erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)	DERWENT;	
		same (input\$4)) and 370/387-388.ccls.	IBM_TDB	
-	143	370/229-237.ccls. and ((notif\$4 or broadcast\$4 or	USPAT;	2004/09/30 11:10
		distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or	US-PGPUB;	
		backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same	EPO; JPO;	
		(erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)	DERWENT;	
		same (input\$4))	IBM_TDB	
-	8	370/229-237.ccls. and 370/387-388.ccls.	USPAT;	2004/09/30 11:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	367198	(notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	USPAT;	2004/09/30 11:17
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	US-PGPUB;	2001,00,00 2212,
	i	or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	EPO; JPO;	
		fai\$6 or defect\$4 maulfunct\$6)	DERWENT;	
	-	Tarpo or acrossp r maanandpo)	IBM_TDB	
_	171232	(notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	USPAT;	2004/09/30 11:18
	1,1252	report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	US-PGPUB;	2001/05/50 11:10
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	EPO; JPO;	
		fai\$6 or defect\$4 maulfunct\$6) same (packet\$1 cell\$1	DERWENT;	
		message\$1 signal\$1)	IBM_TDB	
<u>-</u>	322	370/387-388.ccls. and 370/387-388.ccls.	USPAT;	2004/09/30 11:19
-] 322	370/307-300.ccis. and 370/307-300.ccis.	US-PGPUB;	2007/03/30 11.13
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
_	83	370/387-388.ccls. and 370/387-388.ccls. and ((notif\$4 or	USPAT;	2004/09/30 11:19
-	63	broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or	US-PGPUB;	2004/09/30 11:19
		acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed	EPO; JPO;	
İ				
		near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6))	DERWENT; IBM_TDB	
	41507	(notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	USPAT;	2004/09/30 11:46
	41307	report\$4 send\$4 transmit\$4) near10 (erro\$6 or abnormal\$6	US-PGPUB;	2007/03/30 11.70
		or fais6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4	EPO; JPO;	
		maintain\$4 oam) near10 (packet\$1 cell\$1 message\$1)	DERWENT;	
		maintaina+ dam) nearto (packetat cenat messageat)	IBM_TDB	
	18036	(notife) or broadcasted or distributed or response or		2004/09/30 11:49
_	19039	(notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6	USPAT; US-PGPUB;	2007/03/30 11: 4 9
		or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4	EPO; JPO;	
		maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1)	DERWENT;	
}		maintainat vaint nears (packetat cellat messageat)	IBM_TDB	
_	565	370/229-237.ccls. and ((notif\$4 or broadcast\$4 or	USPAT;	2004/09/30 11:49
_	303	distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4)	US-PGPUB;	2007/03/30 11.43
		near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4	EPO; JPO;	
		maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3		
			DERWENT;	
	2565	(packet\$1 cell\$1 message\$1)) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	IBM_TDB	2004/00/20 11:40
-	3565	` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/09/30 11:49
		report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or	US-PGPUB;	
]		fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4	EPO; JPO;	
]	maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1)	DERWENT;	
	ECT	270/220 227 cels, and /270/220 227 cels, and //nableha are	IBM_TDB	2004/10/04 11:00
-	565	370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or	USPAT;	2004/10/01 11:00
		broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4	US-PGPUB;	
		transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
1		defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	DERWENT;	
L	L <u>.</u>	near3 (packet\$1 cell\$1 message\$1)))	IBM_TDB	

-	147	370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or	USPAT;	2004/09/30 11:50
		broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	US-PGPUB;	
		defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	EPO; JPO; DERWENT;	
		near3 (packet\$1 cell\$1 message\$1))) and stage\$1	IBM_TDB	
-	57	370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or	USPAT;	2004/09/30 16:44
		broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4	US-PGPUB;	, , =
]	transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
	}	defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	DERWENT;	
		near3 (packet\$1 cell\$1 message\$1))) and (stage\$1 same	IBM_TDB	
		switch\$2)	LICOAT	2004/00/20 46:02
-	2	("5689506").PN.	USPAT; US-PGPUB;	2004/09/30 16:03
1	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	turner.in. and cisco.as.	USPAT;	2004/09/30 16:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	134	turner in and breadcast#4	IBM_TDB	2004/00/20 16:16
-	134	turner.in. and broadcast\$4	USPAT; US-PGPUB;	2004/09/30 16:16
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	30	turner.in. and broadcast\$4 and stag\$4	USPAT;	2004/09/30 16:17
			US-PGPUB;	
			EPO; JPO;	
		ı	DERWENT;	
1_	129	turner.in. and broadcast\$4 not cisco.as.	IBM_TDB USPAT;	2004/09/30 16:19
	123	turner.iir. and broadcascp4 not elseo.as.	US-PGPUB;	2004/03/30 10.13
	:		EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	6	turner-jonathan-s.in. and broadcast\$4 not cisco.as.	USPAT;	2004/09/30 16:34
1			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	turner-jonathan.in. and broadcast\$4 not cisco.as.	USPAT;	2004/09/30 16:19
		,	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
	,	tumow in and broadcasted not since as and street 4 and	IBM_TDB	2004/00/20 46:40
-	3	turner.in. and broadcast\$4 not cisco.as. and stage\$4 and atm	USPAT; US-PGPUB;	2004/09/30 16:19
		aun	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	((backpressure\$1 feedback\$1) adj1 packet\$1).ab.	USPAT;	2004/09/30 18:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	100	((congest\$4) adj1 packet\$1).ab.	IBM_TDB USPAT;	2004/09/30 16:36
	100	((congesty i) dujt packetyt).ab.	US-PGPUB;	2007/03/30 10.30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	0	((send\$4 transmit\$4) adj1 (congest\$4) adj1 packet\$1).ab.	USPAT;	2004/09/30 16:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/20/20
-	52	((send\$4 transmit\$4) and (congest\$4) adj1 packet\$1).ab.	USPAT;	2004/09/30 16:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	57	370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or	USPAT;	2004/09/30 16:45
		broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4	US-PGPUB;	
		transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
		defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	DERWENT;	
		near3 (packet\$1 cell\$1 message\$1))) and (stage\$1 same switch\$2)	IBM_TDB	
-	2	370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or	USPAT;	2004/09/30 16:45
		broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4	US-PGPUB;	, ,
		transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
		defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	DERWENT;	
		near3 (packet\$1 cell\$1 message\$1))) and (stage\$1 same	IBM_TDB	
		switch\$2) and chiussi.in.	_	
-	374	((broadcast\$4) adj1 packet\$1).ab.	USPAT;	2004/09/30 18:38
			US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	99	(((broadcast\$4) adj1 packet\$1) and address\$4).ab.	USPAT;	2004/09/30 18:38
			US-PGPUB;	
	,		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	35	(((broadcast\$4) adj1 packet\$1) and address\$4 and	USPAT;	2004/09/30 18:39
		destinat\$4).ab.	US-PGPUB;	', '
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	